
Timeless Value and Beauty of Oak



Oak Flooring 7

Oak Doors 11

Oak Stairs 34

Oak Panels 36


Oak is our passion




We have extensive knowledge in timber production and a deep respect for oak. Oak is limited natural resource. We responsibly use mature timber to manufacture flooring, doors and stairs. We only use premium quality, matured oaks, over 120 – 140 years old which is processed at our sawmill. We ensure the highest levels of quality control from start to finish.

Why us?

Leading manufacturer of Premium Oak Flooring, Oak Doors, Oak Stairs, Oak Panels.
Guaranteed delivery of the finished products with a short lead-time.
Our prices are among the most competitive in the market.
Excellence is what we have become renowned for.




Oak Flooring



Oak Doors



Oak Stairs




Oak Panels



Ecowood Group Head Office













OLIVARI
OLIVA

Oak flooring



Our engineered oak flooring is designed for maximum stability and is ideal for underfloor heating. We use environmentally friendly materials of the highest quality. Oak flooring is treated with a hard - wax oil and is extremely durable and easy to look after. Oak flooring brings a natural beauty and authenticity to any interior. It lasts a lifetime, whilst adding value to your home.




Designed to suit individual needs

Your imagination is the limit.
Our craftsmen will satisfy even the most demanding customers. We manufacture and deliver our products according to customer needs and specifications. Human creativity only enhances nature's design.



Ideal for underfloor heating

Oakwood is a hardwood which is durable and has superior thermal conductivity properties.
We manufacture two-layer and three-layer engineered oak planks which offer maximum stability and are ideal for underfloor heating.



Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, manufacturing and offer a warranty for 2 years.

Variety of options



Surface:
Brushed
Cross-brushed
Distressed (aged)



Oak grading:
Premium
Select
Original
Rustic
Rustic Loft



Floorboards width:
115 mm
140 mm
180 mm
230 mm




Floorboards length:
500–2400 mm

Constructions


SIGNATURE

Engineered 3-layer Hardwood Construction



CLASSIC

Engineered 2-layer Construction




ECOLINE

Engineered 2-layer Construction







Laying patterns




Planks




Chevron 30°




Chevron 45°




Herringbone 90°




Diamond




Art Deco




Double Herringbone



Arrows



Storm



Rhomb

Oak doors




Our solid oak interior doors offer a perfect combination of style and exceptional quality. All our doors are manufactured to custom measurements. They are long-lasting and durable and can come with a variety of stylish hardware options.



Designed to suit individual needs

Wide range of models and surface finishes. Our robotized CNC machines ensure precision and allow us to create a wide range of designs.



Durability

Doors are made from the highest quality mature oak. Our doors are durable and effectively insulate sound. We use environmentally friendly materials of the highest quality.



Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, manufacturing and offer a warranty for 2 years.

Included components:



Door leaf



Door frame



Mouldings



Hinges



Lockset

Door measurements:

All our doors are manufactured to custom measurements.


Standart measurements:
Door frame width (mm):
80–125
Door leaf width (mm):
700-950
Door leaf height (mm):
up to 2200


Maximum opening height – 2380 mm. For FLOW, PULSE, VELVET and MOSS models, the opening height can be up to 2800 mm.


Prices may vary for non-standard sizes.

Door construction:


















Oak door mouldings:

Oak mouldings are treated with natural drying SAICOS (Germany) oil or painted finishes. The range of colors allows the perfect matching of the door and the interior style. Different models are available as well as surface finishing techniques. Mouldings base – finger-jointed oak. Top layer – natural oak veneer.




TR 12 x 40 F



TR 12 x 68 F



TR 12 x 90 F



KL 9 x 68 F



LL 12 x 68



KL 22 x 90 F







MODERN LINE

Defined by clarity,
emotion, and flow,
the Modern Line reflects the spirit
of contemporary living –
where every door becomes
a statement of art,
movement, and refined simplicity.



FLOW Ivory
E-2410



FLOW Aqua White
Q-3409



FLOW Pure Black
NCS S 9000 N



FLOW Signal White
RAL 9003



PULSE Sensu
E-5218



CORE Silver Dust
Q-4505



FLOW Pure Black
NCS S 9000 N



VELVET Natural Oak
3200



VELVET Extra White
3408



VELVET Silver Dust
Q-4505



VELVET Aqua Antique
Q-3479



VELVET Aqua Ebony
Q-3490



HALO Cacao
Q-3418





FLEMISH LINE

Echoing the rich heritage
of Flemish artistry,
the Flemish Line celebrates
intricate craftsmanship,
historic elegance, and the warm,
layered textures
that tell stories across generations.



BRUGES Natural Oak
3200



GHENT Naturale
E-5454




ANTWERP Tobacco
E-7605



HASSELT Ivory
E-2410



DAMME Natural Oak
3200



MECHELEN Walnut
3481



GHENT Naturale
E-5454



FOREST LINE


Rooted in nature's calm and strength,
the Forest Line brings the essence
of the outdoors inside –
where texture, tone,
and depth create an atmosphere
of grounding warmth
and organic balance.



NEST Walnut
3481




STONE Natural Oak
3200



RIVER Walnut
3481



MOSS Naturale
E-5454



FOG Silver Dust
Q-4505



FOG Natural Oak
3200



MOSS Tobacco
E-7605



NORDIC LINE

Rooted in light, nature, and simplicity,
the Nordic Line captures
the quiet strength
of northern living –
where every door
reflects balance, purity,
and a deep sense of calm.



SNO Signal White
RAL 9003



SNO Soft Beige
NCS S 2002 Y50R



SNO Anthracite Grey
RAL 7016



SNO Pure Black
NCS S 9000 N



HEM Signal White
RAL 9003



HEM Pure White
RAL 9010



LUMEN Stone Grey
RAL 7030



HAV Signal White
RAL 9003



SNO Signal White
RAL 9003


SNO Soft Beige
NCS S 2002 Y50R




CLASSIC LINE


Inspired by timeless architecture
and proportion,
the Classic Line embodies structure,
harmony, and quiet elegance –
where every door reflects
enduring form and refined balance.



NAVE Pure White
RAL 9010



NAVE Pure Black
NCS S 9000 N



GALERY Soft Beige
NCS S 2002 Y50R



ART DECO Stone Grey
RAL 7030



FORUM Warm Grey
NCS S 1502 Y50R



BALANCE Signal White
RAL 9003




PALACE Signal White
RAL 9003




PALACE VIEW Pure White
RAL 9010




ART DECO Stone Grey
RAL 7030



DOME Natural Oak
3200



DOME Sand
3333



DOME Cashmere
E-5217




DOME Graphite
3477



AXIS Natural Oak
3200



VIEW Sand
3333



VIEW Cashmere
E-5217



VIEW Graphite
3477



DOME Light Walnut
3081



PORTICO Natural Oak
3200



PORTICO White
3408



PORTICO Graphite
3477



CHARM Walnut
3481



ECHO Pear
3418



ATRIUM Walnut
3481




HARMONY Antique
3479



HARMONY Ebony
3490



PALACE Walnut
3481



HARMONY Ebony
3490



NEST Light Walnut
3081

Skirtings

The range of colours match perfectly with flooring, doors, stairs, and overall interior style. A wide range of models and surface treatments are available.

Oak base, veneered

Skirtings can be treated with natural drying oil SAICOS (Germany) or painted in any RAL/ NCS collection colors.
Top layer: natural Oak Venner.
Base: finger-jointed Oak.



SF-12x48 F
12 x 48 x 2500 mm



SF-12x68 F
12 x 68 x 2500 mm



SF-12x90 F
15 x 120 x 2500 mm



SF-15x120 F
15 x 120 x 2500 mm



KL-20x120 F
20 x 120 x 2500 mm

MDF base, veneered

Skirtings can be treated with natural drying oil SAICOS (Germany) or painted in any RAL/ NCS collection colors.
Top layer: natural Oak Venner.
Base: moisture resistant MDF.



FA-12x48 MDF
12 x 48 x 2400 mm



FA-12x68 MDF
12 x 68 x 2400 mm



FA-12x90 MDF
12 x 90 x 2400 mm



FA-15x120 MDF
15 x 120 x 2400 mm



FA-20x120 MDF
20 x 120 x 2400 mm

Flush skirting board



FA-8x100 MDF*
8 x 100 x 2400 mm

MDF base, impregnated Paper-foil

Skirtings can be painted in any RAL/ NCS collection colors.
Top layer: impregnated paper-foil.
Base: moisture resistant MDF.



SF-12x48 MDF
12 x 48 x 2500 mm



SF-12x68 MDF
12 x 68 x 2400 mm



SF-12x90 MDF
12 x 90 x 2400 mm



SF-15x120 MDF
15 x 120 x 2400 mm



SF-20x120 MDF
20 x 120 x 2400 mm



SF-15x126 MDF
15 x 126 x 2400 mm

Flush skirting board




SF-8x100 MDF*
8 x 100 x 2400 mm


*Additionally, an aluminum profile is required for installation.



Oak stairs




The staircase is a focal point of every home decor. A well selected, high quality oak staircase will add a touch of class to your interior and will increase the value of your home.




Designed to suit your individual needs

We design and manufacture oak stairs according to individual needs. Wide range of colors and manufacturing technologies allow us to produce oak stairs which are convenient, stylish and ideally suited to your interior.



State-of-the-art production

Robotized CNC machines ensure precision and allow us to create a wide range of designs.
Performing precision cutting and machining of stair treads, stair frames and decor elements according to computerised drawings.



Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, timber grading, manufacturing and quality control.

Construction




Steps on Concrete Staircase,
Full Wooden Construction Staircase,
Steps on Metal Staircase.


Variety of options



Steps



Newels



Balusters



Handrails

Oak treads

Oak treads are prefinished in naturally drying oil or varnished. The range of colours allows matching with flooring, doors, skirtings or overall interior style. Various surface prefinishing techniques used.

Type DA4

Finger-jointed oak
Width of blocks **40** mm
Available step thicknesses: **38** mm or **76** mm



Type DA7

Finger-jointed oak
Width of blocks **70** mm
Available step thicknesses: **38** mm or **76** mm



Type MI

Engineered solid oak
Top and bottom layers – solid oak lamella
Available step thicknesses: **42** mm or **80** mm



Type MI Rustic

Engineered solid oak,
Rustic oak grade.
Top and bottom layers – solid oak lamella
Available step thicknesses: **42** mm or **80** mm



Oak panels and worktops




Oak panels and worktops are produced gluing together high quality finger-jointed solid oak blocks. Oak wood is hard, durable and perfect for European climate. You can make various joinery products out of Ecowood glued oak panels that are suitable for different purposes.




Produced to suit individual needs

We manufacture variuos glued oak panels and worktops suitable to your individual needs and fit to very different purposes. Our manufacturing technologies allow us to produce maximum stability oak panels convenient for further production.



Slowest-drying modes

Wood drying is an important preparatory stage in wood processing which determines the durability of the end product. We do use the best kiln drying technologies working under slowest drying modes and ensure continuous temperature and humidity control.




Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, timber grading, manufacturing and quality control.


Range of panels and worktops




Grading:
A/A
C/C



Thickness (mm)
21
38
42



Width (mm):
Up to 1200 mm




Length (mm):
Up to 2350 mm

Prices may vary for non-standard sizes.



Type DA4/ DA7


Glued oak panel (finger-jointed) produced from 40 mm or 70 mm widthblocks of high-quality, kiln dried solid oak.
Supplied raw (unfinished).





Type MI


Solid-engineered oak panel, produced from 3,5mm oak lamella glued on top and bottom (double-sided) of glued finger-jointed oak panel.
Supplied raw (unfinished).





Type MI Rustic

Solid-engineered oak panel, produced from 3,5mm oak lamella glued on top and bottom (double-sided) of glued finger-jointed oak panel.
Supplied raw (unfinished).
Rustic oak grade.











Architects: architektų biuras „G. Natkevičius ir partneriai", Monika Noreikienė.
Interior design: Dovilė Sakevičė, Eivaras Rastauskas ir Mindaugas Leliūga, Migle Gruodytė Misikė, Eivina Lazickaitė ir Janina Avreicevič, „Dizaino Inkilas". Monika Noreikienė, Mantas Lataitis, „Sa.Home", Monika Noreikienė „Menas gyventi", „On Sudija", Irmina Savickienė, „Interjero kioskas", Georgie Hall.
Photographers: Benas Šileika, Lukas Mykolaitis, Simas Bernotas, Laima Kavaliauskaitė Bernotienė, Teodoras Biliūnas, Norbert Tukaj, Deimantė Dubauskaitė, Artūras Mojesenko, Leonas Garbačiauskas, Lukas Mykolaitis, Gintaras Miltenis, Patrycja Makila

We are ready to provide more information and we believe that we will find best possible options for cooperation.

www.ecowood.eu

+370 660 81 000
sales@ecowood.eu

ECOWOOD UAB
Statybininkų str. 1
LT-54222 Vilkija, Kaunas distr.
Lithuania

